





RODNEY HUNT COMPANY

A GA Industries Company




Sluice Gates



Roller Gates




Flap Valves



Slide Gates



Crest Gates



Bonneted Gates




Tainter Gates


Engineered Flow Control Products



Streamseal[®] Butterfly Valves




Howell-Bunger[®] Valves



Rotovalve[®] Cone Valves


SCUBA[®] Actuators



Hoisting Equipment



Hydraulic Actuation Systems






RODNEY HUNT COMPANY

A GA Industries Company

Cast Iron Sluice Gates



- AWWA C-501 Conformance
- Sizes to 16' x 16'
- Heads to 200'
- Water or Wastewater
- Seating or unseating heads


Hinged Crest Gates




- Precise level and flow control
- Bascule® or Pelican® Gates
- Functions in ice conditions
- Flood protection/Spillway control

Slide Gates

- Stop Gates
- Multiple Leaf Gates
- AWWA C-513 Conformance
- Downward opening (weir type)
- Carbon, Stainless Steel or Aluminum




Bonneted Gates



- Bonneted slide gate
- Dam outlet flow control
- Heads to 500ft.
- Bronze or stainless seating

Roller Gates




- For large openings or high head applications
- J-seals for tight shutoff
- Manual or power operation

Flap Valves



Crest Gates

- Radial gates for wide, unobstructed openings
- Spillway flow control
- Manual or power operation



- Backflow prevention for free discharge
- Circular or rectangular openings to 96" for gravity flow
- Circular openings for pump discharge
- Cast or fabricated
- Timber flap valves
- Flexible flap valves
- Tide Gates



RODNEY HUNT COMPANY

A GA Industries Company


Hoisting Equipment



- Crank or handwheel actuated floor stands and bench stands
- Offset-type floor stands
- Interconnected floor stands
- Electric or gasoline powered hydraulic portable actuators

Hydraulic Actuation Systems

- Less wear
- Precise positioning
- Operation during power failure
- Ease of speed control
- Unit responsibility



Streamseal[®] Circular and Rectangular Butterfly valves




- AWWA C-504 conformance
- Sizes 6" to 84"
- Full waterway opening
- Cast or fabricated

Scuba[®] Actuators

- Self-contained, low maintenance actuation
- Available for explosion proof, submersible or fail-safe service



Rotovalve[®] Cone Valve




- Precise flow control in severe service
- Sizes 6" to 84"
- Full waterway opening
- Cast or fabricated

Jet Flow Gates

- High-head energy dissipation
- Excellent flow regulation
- Smooth operation with a minimum of vibration or cavitation




Howell-Bunger[®] Valve



- Hydraulic energy dissipation under free discharge
- Sizes 4" and larger
- Heads to 1000'

Stop Logs

- Open channel flow or level control
- Temporary channel dewatering
- Aluminum or stainless steel
- Resilient invert and side seals




Timber Gates




- Long life
- Unique corrosion-resistant properties
- Used as backwater, tide or flood control gates



Cable Drum Hoists



Velocity Control Gates



Bulkhead Gates



- Cost-effective method for dewatering channels
- Custom design

Also: • Fish Diversion Gates • Miter/Sector Gates



RODNEY HUNT COMPANY

A GA Industries Company

Coming together to provide the most comprehensive offering of flow control products and technology.

GA Industries Inc.

GA Industries Inc.

9025 Marshall Road
Cranberry Township, PA 16066-3696
Phone: 724-776-1020
Fax: 724-776-1254



RODNEY HUNT COMPANY

A GA Industries Company

46 Mill Street
Orange, MA 01364-0738
Phone: 978-544-2511
Fax: 978-544-7204
Web: www.rodneyhunt.com